



НОВОЕ ПОКОЛЕНИЕ сетей SD-WAN

Andrei Zubkov
Sales Engineer




Agenda

- AI-Driven Enterprise Strategy
- SVR
- WAN Assurance

Disclaimer

This statement of product direction sets forth Juniper Networks' current intention and is subject to change at any time without notice. No purchases are contingent upon Juniper Networks delivering any feature or functionality depicted on this statement.

Experience-first networking from client to cloud



Juniper driven by Mist AI is leading a new era of IT with simplified operations, unprecedented scale, and the best user experiences from client-to-cloud.

AIDE Portfolio



AI-Driven Cloud Services

Virtual Network Assistant

Marvis

- AI-driven Problem Solver
- Conversational Assistant



Marvis Actions

- Proactive Network Insights & Remediations
- All Encompassing Network Visibility



Wi-Fi Assurance



Premium Analytics



User Engagement



Asset Tracking



IoT Assurance



Wired Assurance



WAN Assurance

Wireless Infrastructure



Mist Edge



AP Series



BT11 (BLE)

Improve experiences and revenue with Indoor Location Services

Wired Infrastructure



EX Series



QFX Series

WAN Infrastructure





SRX Series



SSR Series

Easiest Day 0, 1, 2 Operations in the Industry



A

Scan and claim your devices to deploy industry leading Wired, Wireless, and WAN access

B

Apply policy/config via templates and remotely pushout updates from the Mist portal

C

Deliver best-in-class connectivity throughout all your enterprise locations

Analyst Recognition Across Our Portfolio

A LEADER

A LEADER

A VISIONARY

A CHALLENGER

A LEADER



Gartner

2022
MAGIC QUADRANT

**Wired & Wireless
LAN Access
Infrastructure**

Gartner

2021
MAGIC QUADRANT

**Data Center &
Cloud
Networking**

Gartner

2022
MAGIC QUADRANT

**SD-WAN
Infrastructure**

Gartner

2022
MAGIC QUADRANT

**Network
Firewalls**

Gartner

2023
MAGIC QUADRANT

**Indoor Location
Services**

Gartner Magic Quadrant for Data Center Networking, Andrew Lerner, Jonathan Forest, Evan Zeng, Joe Skorupa, 30 June 2020.

Gartner Magic Quadrant for WAN Edge Infrastructure, Jonathan Forest, Andrew Lerner, Naresh Singh, 23 September 2020.

Gartner Magic Quadrant for Wired and Wireless LAN Access Infrastructure, Bill Menezes, Christian Canales, Mike Toussaint, Tim Zimmerman, 4 November 2020.

Gartner Magic Quadrant for Network Firewalls, Rajpreet Kaur, Adam Hils, Jeremy D'Hoinne, 9 November 2020.

Gartner Magic Quadrant for Indoor Location Services, Tim Zimmerman, Annette Zimmermann, 15 February 2021.

Gartner does not endorse any vendor, product or service depicted in its research publications, and does not advise technology users to select only those vendors with the highest ratings or other designation. Gartner research publications consist of the opinions of Gartner's research organization and should not be construed as statements of fact. Gartner disclaims all warranties, expressed or implied, with respect to this research, including any warranties of merchantability or fitness for a particular purpose.

GARTNER is a registered trademark and service mark of Gartner, Inc. and/or its affiliates in the U.S. and internationally and is used herein with permission. All rights reserved.

A Journey to an AI-Driven Enterprise

Client SDK: Laptop

Mist Edge

Chained Robust Quadrilaterals

Full-Stack

WAN Self Healing

3rd Party

WAN-SSR

WAN Self Optimization



Data



AI Primitives
Event Timeline





Data Science
Toolbox



Conversational
Assistant



Self Driving
Action
Framework



CLIENT / WIRED / WIRELESS / WAN / SECURITY / MIST EDGE / 3RD PARTY

MICROSERVICES CLOUD ARCHITECTURE

SD-WAN definition according to Gartner

Software-Defined WAN (SD-WAN)

SD-WAN solutions provide a replacement for traditional WAN routers and are agnostic to WAN transport technologies. SD-WAN provides dynamic, policy-based, application path selection across multiple WAN connections and supports *service chaining for additional services such as WAN optimization and firewalls.*

[Gartner IT Glossary SD-WAN](#)

128 Session Smart™

Acquired by JUNIPER NETWORKS

450+
CUSTOMERS

20-15K
SITES/CUSTOMER

70+
PATENTS



Industry's Best AI-Driven Full Stack

JUNIPER
DRIVEN BY MIST AI



SESSION SMART
NETWORKING



AI-DRIVEN SD-
WAN

- ✓ **Gartner MQ Leader & Visionary**
(Wired+Wireless+Location). (WAN Edge)
- ✓ Advanced AI & ML
insights and automation
- ✓ Modern microservices cloud

- ✓ Application Aware
- ✓ Service Centric
- ✓ Rich Telemetry
- ✓ Zero Trust

Experience
Based AIOps

Self Driving

Feature Highlights



**SD-WAN
without Tunnels**



**Session
awareness**






**Adaptative
Encryption**




**SW Based
(HW independent)**

Tunnel Free and Application Aware



Tunnel Free and Application Aware



30-50%
RECLAIMED BANDWIDTH¹

\$
COST SAVINGS

Improved
Encryption Efficiency



Superior Performance/
User Experience



Eliminate complexity,
simplify operations



¹ based on analysis in "Tunnel-Based versus Tunnel-Free SD-WAN" by ACG Research, 2020

Adaptive Encryption




Prevent unnecessary double encryption!

15

Note: According to Google, the percentage of encryption enabled in Chrome's loaded webpages has reached 95%.

- <https://transparencyreport.google.com/https/overview>

The old way




Routing Table

If destination 10.0.0.0/24 go to Tunnel

Routing Table

If destination 10.53.32.0/24 go to Tunnel


Session Smart – Smarter & No Overhead



- Routes Sessions – Directionally
 - Finance user talking to SAP
 - Dev talking to CodeRepo
 - Legal talking to LegalApp
- Servers/Applications are treated based on business importance
 - Routing, Security, QoS easily controlled
- Power of SD-WAN simplicity of hop-by-hop routing

Secure Vector Routing

SESSION DETECTION, FIRST PACKET PROCESSING, WAYPOINT ROUTING



PCAP DEMO

Open Standards & Secure Vector Routing

Juniper is committed to open standards and intends to publish Secure Vector Routing as an RFC

Letter of Intent

<https://datatracker.ietf.org/doc/draft-menon-svr/>

Draft RFC currently under development

128
TECHNOLOGY


128 Technology Participation and Commitment to Open Standards

At the current time, Juniper Networks is in the process of acquiring 128 Technology, but this transaction is not yet complete. We expect it to be completed before the end of the calendar year. Until the transaction is complete, we are unable to coordinate officially. That said, both Juniper Networks and 128 Technology have a similar approach to standards, and specifically support of the IETF process. Juniper Networks and 128 Technology both agree that publication and standardization are important to developing a networking protocol.

Hence, 128 Technology and Juniper Networks are both committed to pursuing the creation of a standards-based RFC through the IETF based on the SVR Metadata protocol used to create Secure Vector Routing. This will allow other vendors to use, parse, and participate in establishment of Secure Vector Routes. The timing for this depends on many factors. Success of establishing a standard is highest when backed by multiple large end customer entities. Entering a process without this support will likely fail. The timing of when this process begins is therefore based on our success in promoting SVR, and our large customers support in the standards process.

128 Technology currently uses standards-based API's, and we are committed to this approach. We will continue to support 3rd party orchestration and ITSM platforms as we have in the past as long as they are secure, reliable and have low performance impact on the 128 Technology solution.

128 Technology currently integrates with legacy network technologies using many standards-based protocols.


Patrick McLampy – Chief Operating Officer
11/18/2020
PATRICK J. McLAMPY


Internet-Draft Secure Vector Routing (SVR) January 2021
Abstract

This document describes Secure Vector Routing (SVR). Secure Vectors contain application layer metadata used for authentication and communicating network intent between data routers. The metadata is extensible, and could be used to securely transmit information, network routes, security policies, and quality policies across network boundaries. Boundaries include private network RFC1918 networks with the IPv4 public internet, and the IPv6 public internet.

Table of Contents

1	Introduction	3
1.1	What is a Secure Vector Route	3
1.2	Qualified Service Name (QSN) - Notation for Network Intent	5
1.3	Overview of Service Vector Route Metadata	5
1.3.1	SVR Item Definition	6
1.3.2	Multiple Pathways Between Source - Dest Pairs	6
1.3.3	Forward and Reverse Directions	6
1.3.4	Scalability	7
1.3.5	SVR Distributions	7

Juniper SDWAN Features




Juniper SDWAN Features


Application/Session Based QoS
(queuing and prioritization)




Session/TCP Optimization




Adaptive FEC
(Forward Error Correction)




Packet duplication




Adaptive Encryption




Encryption Efficiency



Transport Based Encryption




Smart Session/Packet Capture



Business Language Policy



URL Filtering



Distributed Firewall




IDP/IPS



Zero Trust Security

- Centralized configuration in Session Smart Conductor
 - User groups
 - Applications
 - Policies
- Routers are session-based stateful firewall
 - Deny by default
 - Firewall at every hop
 - Authentication on every router



Enhanced Security Pack for SSR

- ✓ Deny by Default/
Zero Trust
- ✓ Adaptive Encryption
- ✓ SVR Directionality
- NEW +
- ✓ IDS/IPS
- ✓ URL Web Filtering



SSR Enhanced Security

URL FILTERING

- Prevent access to and from specific sites
- Meet special business requirements

IDS/IPS

- Protects against advanced malicious attacks


COMPLEMENTS SRX SERIES NGFW

- More deployment options
- No one-size-fits-all in security
- Meet customers where they are

PREPARE FOR JUNIPER FaaS/CLOUD SWG

SASE = SD WAN + SSE


AI-driven SD-WAN + Juniper Secure Edge or 3rd party



WAN Assurance Delivers User Experience SLEs

AIOps for SD-WAN

- ✓ Gain insights to user experience
- ✓ Get immediate root cause discovery
- ✓ Surface and ID anomalies



AI-Driven SD-WAN Demo

The screenshot displays the Mist SD-WAN dashboard for a 'Live-Demo' site. The interface includes a sidebar with navigation options like Monitor, Marvis, Clients, Access Points, Switches, WAN Edges, Location, Analytics, Site, and Organization. The main content area shows a map of the site location, a summary card with 11 Access Points, 8 Associated Clients, and 2.56 Mbps data rate, and a traffic graph for the period 12:00 AM Nov 23 - 12:42 PM Nov 23. Below the graph, there are sections for Site Events (2 events) and Client Events (20555 Total, 296 Good, 7840 Neutral, 12419 Bad).

Category	Count
Access Points	11
Associated Clients	8
Mbps	2.56

Event	Time	Status
AP rpb-test Reboot	07:46:58 AM, Nov 23	Resolved
AP rpb-test Reboot	07:24:55 AM, Nov 23	Unacknowledged

MSP Dashboard Demo


The screenshot displays the Mist MSP dashboard interface. At the top, the browser address bar shows the URL: `manage.mist.com/misp?msp_id=43e96c5a-6ef6-11e6-9909-02e208b2d34f#orgs`. The dashboard header includes the Mist logo, navigation tabs for 'Organization' and 'MSP', and buttons for 'Create Organization' and 'Transfer Subscriptions'.

The main content area is titled 'THE MIST DEMO MSP' and 'Organizations'. It features a summary section with two cards: '37 Organizations' and '42 Active Sites (Devices Claimed)'. Below these are three 'DEVICE INVENTORY' cards: '42 APs / 43 in use', '22 Switches / 23 in use', and '45 WAN Edges / 49 in use'. To the right, 'SUBSCRIPTIONS' cards show '5 Orgs with Active Subscriptions', '4 Orgs with Expired Subscriptions', and '0 Orgs with Exceeded Subscriptions'.

A table below the summary lists individual organizations with columns for Organization, Active Sites, APs, Switches, WAN Edge, Labels, Created, and Subscription Status. The table includes 20 rows of data, such as 'IPV6-Test', 'Mesh Test', 'Mist-KRaj', and 'Enterprise Template'.

Organization	Active Sites	APs	Switches	WAN Edge	Labels	Created	Subscription Status
IPV6-Test	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	Personal Orgs	Jan 8, 2018	
Mesh Test	0	0 / 0 in use	0 / 0 in use	0 / 0 in use		Mar 29, 2018	
Mist-KRaj	2	3 / 3 in use	0 / 0 in use	0 / 0 in use		Aug 14, 2018	6 Active
SMG Mist Experience Demo	0	0 / 0 in use	0 / 0 in use	0 / 0 in use		Oct 8, 2018	
Oportun Test	3	4 / 4 in use	2 / 2 in use	0 / 0 in use	UMSP_Demo	Feb 7, 2019	5 Expired
Retail-Template	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	Retail	Feb 15, 2022	
Korb-CFA	0	0 / 0 in use	0 / 0 in use	0 / 0 in use		Aug 21, 2019	
Healthcare-Template	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	Healthcare	Feb 15, 2022	
School-Template	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	School	Feb 15, 2022	
Kyle Juniper Org	6	1 / 1 in use	1 / 2 in use	12 / 15 in use		Feb 8, 2021	10 Active
Sandbox	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	Developer	Jul 26, 2018	
Alitron	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	Personal Orgs, MOJ	Aug 11, 2017	
ASK4-MSP-Client1	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	Student_Residences, MOJ	Sep 15, 2020	
Mist-Lab-CUP	1	0 / 0 in use	1 / 1 in use	0 / 0 in use		Mar 17, 2021	1 Expired
example_tradeshaw	0	0 / 0 in use	0 / 0 in use	0 / 0 in use		Apr 5, 2021	
Varian Biz	0	0 / 0 in use	0 / 0 in use	0 / 0 in use		Apr 27, 2021	
128 Technology	13	3 / 3 in use	1 / 1 in use	15 / 15 in use		Oct 26, 2020	4 Expired
Clone Example1	0	0 / 0 in use	0 / 0 in use	0 / 0 in use		Aug 23, 2021	
svtest	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	MistDemoEnv, UMSP_Demo	Oct 3, 2022	
Enterprise Template	0	0 / 0 in use	0 / 0 in use	0 / 0 in use	MistDemoEnv, UMSP_Demo	Oct 3, 2022	

Session Smart AI-Driven SD-WAN deployment options




SSR SERIES FOR ENTERPRISE BUSINESS

Secure, AI-driven SD-WAN

High performing | Scalable | Zero Trust Secure

- Instantaneous failover for POS, ordering systems, and voice
- Fast and seamless application performance
- Enhanced bandwidth utilization
- PCI Compliant
- IDS/IPS & URL Filtering
- Manage full-branch offerings under a single, multi-authority management console
- Tunnel-free architecture
- Real-time insight into user experience with WAN Assurance
- Immediate root cause discovery



60%
Latency Reduction

“With Juniper SSR we accomplished in 3 weeks what we were unable to do with MPLS.”

— Datacenter & Networking Platform Owner



A VISIONARY

WAN Edge Infrastructure

Gartner

2022
MAGIC QUADRANT

PLATFORM SELECTION: SSR100 & SSR1000 LINE OF ROUTERS



	SSR120 variants	SSR130 variants	SSR1200	SSR1300	SSR1400	SSR1500
Onboard RJ-45 ports (NICs/ports are not field configurable/replaceable)	4x1G RJ45	6x1G RJ45	7 x 1G RJ-45	4 x 1G RJ-45	4 x 1G RJ-45	4 x 1G RJ-45
Onboard transceiver ports (NICs/ports are not field configurable/replaceable)	2x1G RJ45/SFP combo	2x1G RJ45/SFP combo	4 x 1G/10G SFP+	4 x 10G SFP+ 4 x 1G/10G SFP+	4 x 10G SFP+ 4 x 1G/10G/25G SFP28	12 x 1G/10G/25G SFP28
Onboard management port	-	-	1 x 1G RJ-45	1 x 1G RJ-45	1 x 1G RJ-45	1 x 1G RJ-45
LTE	Subvariant SKUs: SSR120-AE (AMER/EMEA) SSR120-AA (APAC)	Subvariant SKUs: SSR130-AE (AMER/EMEA) SSR130-AA (APAC)	Not applicable	Not applicable	Not applicable	Not applicable

Encrypted + HMAC (aggregate)	IMIX	250 Mbps	1 Gbps	2.5 Gbps	5 Gbps	10 Gbps	30 Gbps
	1500 byte	500 Mbps	1.8 Gbps	5.0 Gbps	12 Gbps	15 Gbps	50 Gbps (Max. throughput on NIC)
Encrypted (aggregate)	IMIX	750 Mbps	1.8 Gbps	7 Gbps	18 Gbps	25 Gbps	45 Gbps
	1500 byte	2 Gbps (Line rate on ports)	2 Gbps (Line rate on ports)	17 Gbps	20 Gbps (Max. throughput on NIC)	50 Gbps (Max. throughput on NIC)	50 Gbps (Max. throughput on NIC)
Unencrypted (aggregate)	IMIX	1.5 Gbps	2 Gbps (Line rate on ports)	10 Gbps	20 Gbps (Max. throughput on NIC)	40 Gbps	50 Gbps (Max. throughput on NIC)
	1500 byte	2.0 Gbps (Line rate on ports)	2 Gbps (Line rate on ports)	20 Gbps (Max. throughput on NIC)	20 Gbps (Max. throughput on NIC)	50 Gbps (Max. throughput on NIC)	50 Gbps (Max. throughput on NIC)

Additional resources

White Paper



White Paper

SESSION SMART ROUTING— HOW IT WORKS

A service-centric fabric with dramatic benefits in terms of simplicity, agility, security, performance, and cost



YouTube Demos

- 1. Session Smart Router Platform Overview (1:13:59)
- 2. Zoom Follower Demo with Bandwidth Savings Report (7:42)
- 3. Session Smart Routing Demo: How to Use Session Captures (1:33)
- 4. Session Smart Routing Demo: Configuration Template (4:44)
- 5. AI-driven SD-WAN Demo: WAN Assurance (6:32)
- 6. Session Smart Routing Demo: How to Utilize Adaptive Encryption (2:24)
- 7. AI-driven SD-WAN in Action - Design, Deploy, and Operate a Full Stack Branch with Mist AI (17:55)
- 8. AI-Driven Enterprise in Action - MSP Dashboard Demo (2:26)



SSR appliances

SSR1000 LINE OF ROUTERS DATASHEET

Product Description

Juniper Networks' SSR1000 line of Routers for campus, hub, and data center enables enterprises to build service-centric fabrics for any size distributed enterprise. SSR1000 routers—which include the SSR1200, SSR1300, SSR1400, and SSR1500 appliances—have the capacity and interface functionality to support campus, hub, and data center environments.

Administrators can deploy and manage the SSR1000 line of Routers in a cloud network by using [Juniper Mist WAN Assurance](#), or on-premises with the Juniper Session Smart™ Conductor (included with Juniper [Session Smart Routing](#)).

SSR1000 routers complement the Juniper Networks [SSR100 line of Routers](#) for branch use cases, providing higher capacity options to support the greater throughput needs of large campus and data center environments.

To use the SSR1000 line of Routers, you must purchase an SSR Series software subscription license that is sold separately.





THANK YOU

ask-se@juniper.net
azubkov@juniper.net

JUNIPER
NETWORKS

Driven by
Experience™